

# 2009 LAZY DAZE FACTORY DIRECT MOTORHOME PRICE LIST

SOLD & DELIVERED FACTORY DIRECT ONLY – NO DEALERS 12-19-08

ALL MODELS LISTED BELOW ARE BUILT ON THE NEWLY RESTYLED FORD E-450 CHASSIS WITH AN ALL NEW CAB INTERIOR AND UPGRADED FEATURES	BASE PRICE	DEPOSIT TO PLACE ORDER
• ALL 24' FLOOR PLANS	\$74,250.00	\$3,500.00
• ALL 27' FLOOR PLANS	\$80,750.00	\$4,000.00
• ALL 31' FLOOR PLANS	\$89,500.00	\$4,500.00

## LAZY DAZE MOTORHOMES 2009 FEATURES AND SPECIFICATIONS

- S = Standard Equipment  
 O = Optional Equipment  
 = Not Available

### CHASSIS FEATURES

	24' REAR LOUNGE	24' TWIN-KING BED	24' FRONT DINETTE	24' FRONT LOUNGE	27' REAR KITCHEN	27' MID BATH	27' REAR BATH	31' ISLAND BED	31' TWIN BED
Restyled Ford E-450 super duty chassis with 158" wheel base and 4.56 ratio wider rear axle.	S	S	S	S					
Restyled Ford E-450 super duty chassis with 176" wheel base and 4.56 ratio wider rear axle.					S	S	S		
Restyled Ford E-450 super duty chassis with 211" wheel base and 4.56 ratio wider rear axle.								S	S
Fuel injected 5.4L V-8 engine with 255 HP/350 ft-lbs. Torque @ 2500 RPM.	S	S	S	S					
Fuel injected 6.8L V-10 engine with 305 HP/420 ft-lbs. Torque @ 3250 RPM.	O	O	O	O	S	S	S	S	S
5-Spd. TorqShift automatic transmission with Tow/Haul feature.	S	S	S	S	S	S	S	S	S
Larger 4 wheel disc brakes with 13.58" brake rotors and ABS (anti-lock braking system).	S	S	S	S	S	S	S	S	S
Steel belted radial tires with stainless steel wheel covers and full sized spare tire.	S	S	S	S	S	S	S	S	S
Single 55 gallon gasoline tank.	S	S	S	S	S	S	S	S	S
Super heavy-duty 155 amp alternator.	S	S	S	S	S	S	S	S	S
Restyled Lazy Daze designed integrated running boards and front fender flares.	S	S	S	S	S	S	S	S	S
Low profile cab mirrors with deluxe chrome heads, large glass viewing area and separate adjustable large convex mirror. Mirrors can be folded forward or backward.	S	S	S	S	S	S	S	S	S
Tow package with 2" receiver hitch and 4 pole trailer plug.	S	S	S	S	S	S	S	S	S
New redesigned interior dashboard and door panels with large two tiered storage bins.	S	S	S	S	S	S	S	S	S
Tachometer, all gauges, intermittent windshield wipers, tilt steering wheel and cruise control.	S	S	S	S	S	S	S	S	S
New digital message center with A/B trip odometer, miles to empty, average fuel economy, fuel economy bar graph and systems check.	S	S	S	S	S	S	S	S	S
Passenger side glove box with owner's manual storage holder and 12 volt power point outlet.	S	S	S	S	S	S	S	S	S
Power operated tinted windows with driver side express auto down feature.	S	S	S	S	S	S	S	S	S
Power door locks.	S	S	S	S	S	S	S	S	S
Remote keyless entry with panic button.	S	S	S	S	S	S	S	S	S
High output factory installed dash air conditioning (Not after market).	S	S	S	S	S	S	S	S	S
New factory high back driver and passenger reclining fabric seats.	S	S	S	S	S	S	S	S	S
Six way power driver's seat with manual lumbar adjustment.	S	S	S	S	S	S	S	S	S
Dual air bags with passenger air bag cutoff switch.	S	S	S	S	S	S	S	S	S
Slim-line engine console with storage compartments and cup holders.	S	S	S	S	S	S	S	S	S
Insulated and carpeted cab floor and engine cover for reduced heat and noise.	S	S	S	S	S	S	S	S	S
In-dash radio with digital jack, single C.D. (MP3) and infrared multi-function remote control.	S	S	S	S	S	S	S	S	S
New factory high back reclining cab seats upholstered in Tan Ultra Leather.	O	O	O	O	O	O	O	O	O
Bilstein high performance gas shock absorbers. Not needed or recommended with 24' models.					O	O	O	O	O





# EXTERIOR COACH FEATURES

## (Continued)

	24' REAR LOUNGE	24' TWIN-KING BED	24' FRONT DINETTE	24' FRONT LOUNGE	27' REAR KITCHEN	27' MID BATH	27' REAR BATH	31' ISLAND BED	31' TWIN BED
Galvanized steel underbelly pan and heavy gauge galvanized steel rear wheel wells.	S	S	S	S	S	S	S	S	S
Large radius outside lockable compartments for: Folding chairs, B.B.Q., leveling blocks, etc. The 31' models can accommodate skis within the 8' long rear exterior accessible compartment.	S	S	S	S	S	S	S	S	S
Exterior city water hook-up. Includes a brass pressure regulator.	S	S	S	S	S	S	S	S	S
Convenient separate storage compartment for supplied 15' sewage hose.	S	S	S	S	S	S	S	S	S
Exterior rear mounted roof ladder.	S	S	S	S	S	S	S	S	S
Sleek aerodynamic awning. Fabric and legs are stored within an aluminum housing, when closed, for maximum longevity. One person from the ground can easily operate awning.	S	S	S	S	S	S	S	S	S
Separate molded plastic exterior coach battery compartment for low maintenance and slide out battery tray for easy battery service.	S	S	S	S	S	S	S	S	S
Amplified Winegard roof mounted crank-up TV antenna with booster and outside cable hook-up.	S	S	S	S	S	S	S	S	S
Moon roof hatch. A large screened opening vent above the cab-over bed, for improved ventilation, easy entry to the roof and furnishes another safety escape exit for those sleeping in the cab-over bed. NOTE: This hatch is deleted when the entertainment center is installed.	S	S	S	S	S	S	S		
100 watt solar panel and current boosting charge controller with digital read out display.	O	O	O	O	O	O	O	S	S
Manual crank up digital satellite antenna.	O	O	O	O	O	O	O	O	O
Automatic in-motion enclosed semi-low profile dome digital satellite antenna.	O	O	O	O	O	O	O	O	O
Electric coach entry step.	O	O	O	O	O	O	O	S	S
Back up camera with 5.6" LCD cab mounted color monitor with built in one way speaker system.	O	O	O	O	O	O	O	O	O
Outside shower with insulated door.	O	O	O	O	O	O	O	S	S
Polyurethane insulation on holding tanks.	O	O	O	O	O	O	O	O	O
Sealed 12V house battery disconnect switch.	O	O	O	O	O	O	O	O	O

## COACH SPECIFICATIONS

### LIQUIDS CAPACITIES (GALLONS)

Approximate total fresh water.	50	50	60	60	60	58	60	60	60
Approximate gray water storage.	25	25	32	32	35	35	35	35	35
Approximate sewage storage.	18	18	28	28	30	28	24	30	30
Electronic ignition water heater.	6	6	6	6	6	6	6	6	6
Propane tank (rated tank capacity).	10	10	10	10	17	17	17	17	17

## EXTERIOR COACH DIMENSIONS

### (INCHES)

Approximate exterior unladen coach height from ground to top of roof air.	123	123	123	123	123	123	123	124	124
Exterior coach width (add an additional 9" per side for the fold-in cab mirrors).	99	99	99	99	99	99	99	99	99
Bumper to bumper coach length. Add approx. 2" for the rear exterior spare tire cover and an additional 2" for the rear roof rack ladder.	287	287	287	287	324	324	324	373	373
Interior height from floor to ceiling (excluding carpet).	79	79	79	79	79	79	79	79	79
Cab-over mattress dimensions.	57X80	57X80	57X80	57X80	57X80	57X80	57X80		
All Dinettes can furnish an eating area for up to 4. The following dinettes can also make into a compact bed.			27.7X70.7		39X67.5	39X67	39X72.5		

# COACH SPECIFICATIONS

## COACH DIMENSIONS (INCHES)

	24' REAR LOUNGE	24' TWIN-KING BED	24' FRONT DINETTE	24' FRONT LOUNGE	27' REAR KITCHEN	27' MID BATH	27' REAR BATH	31' ISLAND BED	31' TWIN BED
Individual twin bed sizes for models when equipped with twin sofas. The twin sofas can be brought completely together, to create an oversize king bed. D = Drivers side. P= Passenger side.		D36X71 P32X74			D34X76 P32X72	D32 X71 P36X76	D34 X76 P32 X72		
Sofa double bed sizes.	50X74		50X73	50X73	50X76	50X76	50X76	50X76	50X76
Permanent bed size.								57X78	D35 X 76 P35.X.74.5
Total average wardrobe hanging space width.	30½	30½	33	33	45	38	40	44	41

## COACH MISCELLANEOUS SPECIFICATIONS

Total interior recessed fluorescent light fixtures in each floor plan.	4	4	4	4	5	5	5	6	6
Total number of interior incandescent and halogen light fixtures in each floor plan.	9	9	9	9	11	10	11	11	12
Total number drawers.	7	7	8	7	8	7	7	11	11
Number of 120V duplex receptacles (including exterior).	5	5	5	5	5	7	5	6	6
Number of roof vents (includes escape hatch above cab-over).	3	3	3	3	4	4	4	5	5
Total outside storage compartments. Delete one compartment on the 27' Rear Kitchen. 27' Mid-Bath and 27' Rear Bath when equipped with barrel chairs.	2	3	2	2	5	6	5	7	7
Amp hours produced by the two 6V coach batteries.	225	225	225	225	225	225	225	225	225

## COACH WEIGHTS WITH STANDARD EQUIPMENT

G.V.W.R. (Gross Vehicle Weight Rating). Maximum designed motorhome weight when "Fully Loaded". NOTE: 24' Models equipped with optional V-10 engine will be 14,500.	14,050	14,050	14,050	14,050	14,500	14,500	14,500	14,500	14,500
E.W. (Empty Weight of Motorhome). No fuels, liquids, supplies or people. (Includes all standard equipment such as generator, etc.) Some weights are estimated. NOTE: 24' Models equipped with optional V-10 engine weigh approx. 200 pounds more.	10,345	10,350	10,315	10,330	11,115	11,075	10,975	12,134	12,157
U.V.W. – (Unloaded Vehicle Weight). The weight of the motorhome as built at the factory with full fuel, oil, and coolant. Some weights are estimated.	10,675	10,680	10,645	10,660	11,445	11,405	11,305	12,464	12,487
W.W.V. – (Wet Weight of Vehicle) No Passengers or supplies. Gas tank, fresh water tank, and LP-Gas tank all full. Some weights are estimated.	11,125	11,130	11,177	11,192	12,002	11,945	11,862	13,021	13,044
Number of designated seat belted positions.	4	4	5	4	6	6	6	4	4
C.C.C. – (Cargo Carrying Capacity) (Derived by subtracting U.V.W. from G.V.W.R.) Allowable weight available for designated seat belted positions, fresh water, LP-Gas, food, personal items, supplies etc. NOTE: Installed accessories and towed vehicle tongue weight will reduce C.C.C.	*3,375	*3,370	*3,405	*3,390	*3,055	*3,095	*3,195	*2,036	*2,013
G.C.W.R. (Gross Combination Weight Rating). Maximum allowable combined weight of "loaded" motorhome and either "loaded tow vehicle or trailer. NOTE: The standard equipped 2" receiver hitch rating is 4,000 pounds.	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000

DUE TO CHANGES BY VENDORS BEYOND OUR CONTROL COMPONENTS MAY VARY. PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE AT ANYTIME WITHOUT PRIOR NOTIFICATION.